

QUESTIONS & ANSWERS

Kill your exam at first Attempt



300-730 Dumps
300-730 Braindumps
300-730 Real Questions
300-730 Practice Test
300-730 dumps free



Cisco

300-730

Implementing Secure Solutions with Virtual Private Networks

<https://killexams.com/pass4sure/exam-detail/300-730>



Section: Secure Communications Architectures

QUESTION 50

```
crypto isakmp policy 10
  encr aes 256
  hash sha256
  authentication pre-share
  group 14

crypto isakmp key cisco address 0.0.0.0

crypto ipsec transform-set TS esp-aes 256 esp-sha256-hmac
mode transport

crypto ipsec profile CCNP
set transform-set TS

interface Tunnell
ip address 10.0.0.1 255.255.255.0
tunnel source GigabitEthernet1
tunnel mode ipsec ipv4
tunnel destination 172.18.10.2
tunnel protection ipsec profile CCNP
```

Refer to the exhibit. Which VPN technology is used in the exhibit?

- A. DVTI
- B. VTI
- C. DMVPN
- D. GRE

Correct Answer: B

Section: Secure Communications Architectures

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpniips/configuration/zZ-Archive/IPsec_Virtual_Tunnel_Interface.html#GUID-EB8C433B-2394-42B9-997F-B40803E58A91

QUESTION 51

Which VPN does VPN load balancing on the ASA support?

- A. VTI
- B. IPsec site-to-site tunnels
- C. L2TP over IPsec
- D. Cisco AnyConnect

Correct Answer: D

Section: Secure Communications Architectures

QUESTION 52 Which parameter must match on all routers in a DMVPN Phase 3 cloud?

- A. GRE tunnel key
- B. NHRP network ID
- C. tunnel VRF
- D. EIGRP split-horizon setting

Correct Answer: A

Section: Secure Communications Architectures

QUESTION 53 Which parameter is initially used to elect the primary key server from a group of key servers?

- A. code version
- B. highest IP address
- C. highest-priority value
- D. lowest IP address

Correct Answer: C

Section: Secure Communications Architectures

Reference: https://www.cisco.com/c/en/us/products/collateral/security/group-encrypted-transport-vpn/deployment_guide_c07_554713.html

QUESTION 54 A Cisco ASA is configured in active/standby mode. What is needed to ensure that Cisco AnyConnect users can connect after a failover event?

- A. AnyConnect images must be uploaded to both failover ASA devices.
- B. The vpn-session-db must be cleared manually.
- C. Configure a backup server in the XML profile.
- D. AnyConnect client must point to the standby IP address.

Correct Answer: A

Section: Secure Communications Architectures

Reference: https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa_90_cli_config/ha_active_standby.html

QUESTION 55 Which benefit of FlexVPN is a limitation of DMVPN using IKEv1?

- A. GRE encapsulation allows for forwarding of non-IP traffic.
- B. IKE implementation can install routes in routing table.
- C. NHRP authentication provides enhanced security.
- D. Dynamic routing protocols can be configured.

Correct Answer: B

Section: Secure Communications Architectures

QUESTION 56 What is a requirement for smart tunnels to function properly?

- A. Java or ActiveX must be enabled on the client machine.
- B. Applications must be UDP.
- C. Stateful failover must not be configured.
- D. The user on the client machine must have admin access.

Correct Answer: A

Section: Secure Communications Architectures

Reference: <https://www.cisco.com/c/en/us/support/docs/security/asa-5500-x-series-next-generation-firewalls/111007-smart-tunnel-asa-00.html>

QUESTION 57 Where is split tunneling defined for IKEv2 remote access clients on a Cisco router?

- A. IKEv2 authorization policy
- B. Group Policy
- C. virtual template
- D. webvpn context

Correct Answer: B

Section: Secure Communications Architectures

QUESTION 58 Which technology is used to send multicast traffic over a site-to-site VPN?

- A. GRE over IPsec on IOS router
- B. GRE over IPsec on FTD
- C. IPsec tunnel on FTD
- D. GRE tunnel on ASA

Correct Answer: B

Section: Secure Communications Architectures

Explanation/Reference:

QUESTION 59 Which feature of GETVPN is a limitation of DMVPN and FlexVPN?

- A. sequence numbers that enable scalable replay checking
- B. enabled use of ESP or AH
- C. design for use over public or private WAN
- D. no requirement for an overlay routing protocol

Correct Answer: D

Section: Secure Communications Architectures

QUESTION 60

```
ip access-list extended CCNP
 permit 192.168.0.10
 permit 192.168.0.11

webvpn gateway SSL_Gateway
 ip address 172.16.0.25 port 443
 ssl trustpoint AnyConnect_Cert
 inservice

webvpn context SSL_Context
 gateway SSL_Gateway

ssl authenticate verify all
 inservice

policy group SSL_Policy
 functions svc-enabled
 svc address-pool "ACPool" netmask 255.255.255.0
 svc dns-server primary 192.168.0.100
 svc default-domain cisco.com
 default-group-policy SSL_Policy
```

Refer to the exhibit. Cisco AnyConnect must be set up on a router to allow users to access internal servers 192.168.0.10 and 192.168.0.11. All other traffic should go out of the client's local NIC. Which command accomplishes this configuration?

- A. **svc split include 192.168.0.0 255.255.255.0**
- B. **svc split exclude 192.168.0.0 255.255.255.0**
- C. **svc split include acl CCNP**
- D. **svc split exclude acl CCNP**

Correct Answer: C

Section: Secure Communications Architectures

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!