

# QUESTIONS & ANSWERS

Kill your exam at first Attempt



300-735 Dumps  
300-735 Braindumps  
300-735 Real Questions  
300-735 Practice Test  
300-735 dumps free



**Cisco**

# 300-735

*Automating Cisco Security Solutions (SAUTO)*

<https://killexams.com/pass4sure/exam-detail/300-735>



**QUESTION 50** What is the purpose of the snapshot APIs exposed by Cisco Stealthwatch Cloud?

- A. Report on flow data during a customizable time period.
- B. Operate and return alerts discovered from infrastructure observations.
- C. Return current configuration data of Cisco Stealthwatch Cloud infrastructure.
- D. Create snapshots of supported Cisco Stealthwatch Cloud infrastructure.

**Correct Answer:** B

**QUESTION 51**  
DRAG DROP

Drag and drop the items to complete the pxGrid script to retrieve all Adaptive Network Control policies. Assume that username, password, and base URL are correct. Not all options are used.

**Select and Place:**

**Correct Answer:**

**Explanation/Reference:**

Reference: <https://developer.cisco.com/docs/pxgrid/#!retrieving-all-anc-policies/java-sample-code>

**QUESTION 52**

Request URL:

`https://198.18.133.8/api/fdm/v1/policy/intrusionpolicies`

Refer to the exhibit.

What is the purpose of the API represented by this URL?

- A. Getting or setting intrusion policies in FMC
- B. Creating an intrusion policy in FDM
- C. Updating access policies
- D. Getting the list of intrusion policies configured in FDM

**Correct Answer: D**

**QUESTION 53** Which query parameter is required when using the reporting API of Cisco Security Management Appliances?

- A. device\_type
- B. query\_type
- C. filterValue
- D. startDate + endDate

**Correct Answer: D**

**QUESTION 54**

Which step is required by Cisco pxGrid providers to expose functionality to consumer applications that are written in Python? A.

Look up the existing service using the /pxgrid/control/ServiceLookup endpoint.

- B. Register the service using the /pxgrid/control/ServiceRegister endpoint.
- C. Configure the service using the /pxgrid/ise/config/profiler endpoint.
- D. Expose the service using the /pxgrid/ise/pubsub endpoint.

**Correct Answer: D**

**QUESTION 55**

Which URI string is used to create a policy that takes precedence over other applicable policies that are configured on Cisco Stealthwatch?

- A. /tenants/{tenantId}/policy/system/host-policy
- B. /tenants/{tenantId}/policy/system/role-policy
- C. /tenants/{tenantId}/policy/system
- D. /tenants/{tenantId}/policy/system/{policyId}

**Correct Answer: A**

**QUESTION 56**  
DRAG DROP

Drag and drop the code to complete the curl query to the Cisco Umbrella Investigate API for the Latest Malicious Domains for the IP address 10.10.20.50. Not all options are used.

**Select and Place:**

**Correct Answer:**

Reference: <https://docs.umbrella.com/investigate-api/reference#about-the-api-and-authentication>

**QUESTION 57**  
DRAG DROP

Drag and drop the code to complete the URL for the Cisco AMP for Endpoints API POST request so that it will add a sha256 to a given file\_list using file\_list\_guid.

**Select and Place:**

https://api.amp.cisco.com/v1  
/ [ ] / [ ] / [ ] / [ ]

- files
- file\_lists
- {:sha256}
- {:file\_list\_guid}

**Correct Answer:**

https://api.amp.cisco.com/v1  
/ file\_lists / {:file\_list\_guid} / files / {:sha256}

- files
- file\_lists
- {:sha256}
- {:file\_list\_guid}

Reference:  
[https://api-docs.amp.cisco.com/api\\_actions/details?api\\_action=POST+%2Fv1%2Ffile\\_lists%2F%7B%3Afile\\_list\\_guid%7D%2Ffiles%2F%7B%3Asha256%7D&api\\_host=api.eu.amp.cisco.com&api\\_resource=File+List+Item&api\\_version=v1](https://api-docs.amp.cisco.com/api_actions/details?api_action=POST+%2Fv1%2Ffile_lists%2F%7B%3Afile_list_guid%7D%2Ffiles%2F%7B%3Asha256%7D&api_host=api.eu.amp.cisco.com&api_resource=File+List+Item&api_version=v1)

**QUESTION 58**

DRAG DROP

Drag and drop the items to complete the curl request to the ThreatGRID API. The API call should request the first 10 IP addresses that ThreatGRID saw samples communicate with during analysis, in the first two hours of January 18<sup>th</sup> (UTC time), where those communications triggered a Behavior Indicator that had a confidence equal to or higher than 75 and a severity equal to or higher than 95.

**Select and Place:**

**Correct Answer:**

Reference: <https://support.umbrella.com/hc/en-us/articles/231248768-Cisco-Umbrella-Cisco-AMP-Threat-Grid-Cloud-Integration-Setup-Guide>

For More exams visit <https://killexams.com/vendors-exam-list>



*Kill your exam at First Attempt....Guaranteed!*