

QUESTIONS & ANSWERS

Kill your exam at first Attempt



76940X Dumps
76940X Braindumps
76940X Real Questions
76940X Practice Test
76940X dumps free



Avaya

76940X

Avaya Converged Platform Support

<https://killexams.com/pass4sure/exam-detail/76940X>



QUESTION 48 A support engineer has completed the upgrade of a PodFX 3.1 system to ACP 4200 4.0.

What should the engineer do with Virtual Machine snapshots that were created during the upgrade process?

- A. The VM snapshots should be backed up to external storage and deleted immediately.
- B. The VM snapshots should be deleted immediately.
- C. The VM snapshots should be deleted within 72 hours of the verified, successful completion of the upgrade process.
- D. The VM snapshots should be left as they are as a backup of the upgrade process.

Correct Answer: C

QUESTION 49 A support engineer is upgrading a PodFX 3.1 system to ACP 4200 4.0. In preparation for upgrading the HPE server firmware, the engineer notices that another colleague has already downloaded files.

Which two files should the engineer use? (Choose two.)

- A. hp-firmware-ilo4-2.60-1.1.i386.rpm
- B. bp-avaya-dl360g9-g10-ACP-4_0-New-only.iso
- C. SP99382.exe
- D. ACP_40_ilo4_261.bin

Correct Answer: BD

Reference: https://support.avaya.com/downloads/download-details.action?contentId=C201811141048316790_5&productId=P1704

QUESTION 50

A customer requires additional Avaya Aura® applications to be added to the ACP 4200. This has been reviewed and approved by Avaya's ACP Product Management team. It has been determined that a new computer server is required to meet the expanded resource requirement.

Which three parts of the Lifecycle Workbook need to be updated to provide for the new requirements? (Choose three.)

- A. Contact Info
- B. ACP 4200 Solution RMU Elevation
- C. Serial Numbers
- D. Network Data
- E. QA Checklist

Correct Answer: ABC

QUESTION 51 When deploying the vCenter update, there are certain parameters that must be used.

Which IP address should be used for the Network 1 IP Address?

- A. The Localhost IP address for your datacenter subnet IP interface
- B. The datacenter facing IP interface IP address and a 32 bit mask
- C. The Internet facing IP interface IP address and mask
- D. A temporary IP, from the Management subnet, not already in use

Correct Answer: D

QUESTION 52 An ESXi Host server has been replaced due to a fault.

To provide for this replacement, which portion of the Lifecycle Workbook needs to be updated?

- A. Power Cord Wiring
- B. Serial Numbers
- C. Network Data
- D. Switch Wiring

Correct Answer: B

QUESTION 53 Before downloading and applying a PDU patch, you must determine the type of PDU the ACP 4200 is using.

Which two kinds of PDUs are valid? (Choose two.)

- A. Switched
- B. Synchronized
- C. Smart
- D. Stationary
- E. Static

Correct Answer: BD

QUESTION 54 Which command will verify VSP adjacencies?

- A. `set isis adjacencies`
- B. `show isis adjacencies`
- C. `show isis routes`
- D. `show ospf routes`

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/100180474> (990)

QUESTION 55 A support engineer is upgrading a PodFX 3.1 system to ACP 4200 4.0. The engineer is upgrading the ESXi hosts to VMware ESXi 6.5.


Which two statements about this upgrade process are true? (Choose two.)

- A. ESXi hosts are upgraded all at the same time.
- B. ESXi hosts are upgraded one after another.
- C. One baseline group must be created using vSphere Update Manager to be used for all ESXi hosts.
- D. Separate baseline groups must be created using vSphere Update Manager for each individual ESXi host.

Correct Answer: AC

QUESTION 56

Rack view AL_ACP_AL_ACP_RACK



Refer to the exhibit.

When a support engineer navigates to Orchestrator's Rack View of an ACP 4200 system, the engineer notices that the V1-V6 slots on the right of the diagram are not populated.

What could be causing this problem?

- A. V1-V6 are used to represent Virtual Machines which are not present in this particular system.
- B. V1-V6 are used to represent Vertical PDUs which are not present in this particular system.
- C. V1-V6 are used to represent G450 Media Modules which are not present in this particular system.
- D. V1-V6 are only used for ACP 100 systems.

Correct Answer: A

For More exams visit <https://killexams.com/vendors-exam-list>



Kill your exam at First Attempt....Guaranteed!