



*Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.*



AZ-204 Dumps  
AZ-204 Braindumps  
AZ-204 Real Questions  
AZ-204 Practice Test  
AZ-204 Actual Questions



**Microsoft**

# AZ-204

*Developing Solutions for Microsoft Azure*



<https://killexams.com/pass4sure/exam-detail/AZ-204>

### Question: 78

You need to investigate the Azure Function app error message in the development environment.

What should you do?

- A. Connect Live Metrics Stream from Application Insights to the Azure Function app and filter the metrics.
- B. Create a new Azure Log Analytics workspace and instrument the Azure Function app with Application Insights.
- C. Update the Azure Function app with extension methods from Microsoft.Extensions.Logging to log events by using the log instance.
- D. Add a new diagnostic setting to the Azure Function app to send logs to Log Analytics.

**Answer:** A

Explanation:

Azure Functions offers built-in integration with Azure Application Insights to monitor functions.

The following areas of Application Insights can be helpful when evaluating the behavior, performance, and errors in your functions:

Live Metrics: View metrics data as it's created in near real-time.

Failures

Performance

Metrics

Reference: <https://docs.microsoft.com/en-us/azure/azure-functions/functions-monitoring>

### Question: 79

HOTSPOT

You need to update the APIs to resolve the testing error.

How should you complete the Azure CLI command? To answer, select the appropriate options in the answer area.  
NOTE: Each correct selection is worth one point.

az webapp  -g shipping-apis-test-rg -n web

cors

config

deployment

add

up

remove

--

slot

allowed-origins

name

http://\*.wideworldimporters.com

http://test-shippingapi.wideworldimporters.com

http://test.wideworldimporters.com

http://www.wideworldimporters.com

Answer:

az webapp  -g shipping-apis-test-rg -n web

cors

config

deployment

add

up

remove

--

slot

allowed-origins

name

http://\*.wideworldimporters.com

http://test-shippingapi.wideworldimporters.com

http://test.wideworldimporters.com

http://www.wideworldimporters.com

Explanation:

Enable Cross-Origin Resource Sharing (CORS) on your Azure App Service Web App. Enter the full URL of the site you want to allow to access your WEB API or \* to allow all domains.

Box 1: cors

Box 2: add

Box 3: allowed-origins

Box 4: http://testwideworldimporters.com/

References: <http://donovanbrown.com/post/How-to-clear-No-Access-Control-Allow-Origin-header-error-with-Azure-App-Service>

Question: 80

You need to implement a solution to resolve the retail store location data issue.

Which three Azure Blob features should you enable? Each correct answer presents part of the solution.

NOTE Each correct selection is worth one point

- A. Immutability
- B. Snapshots
- C. Versioning
- D. Soft delete
- E. Object replication
- F. Change feed

**Answer:** C,D,F

Explanation:

Scenario: You must perform a point-in-time restoration of the retail store location data due to an unexpected and accidental deletion of data.

Before you enable and configure point-in-time restore, enable its prerequisites for the storage account: soft delete, change feed, and blob versioning.

Reference: <https://docs.microsoft.com/en-us/azure/storage/blobs/point-in-time-restore-manage>

**Question:** 81

Topic 1, Windows Server 2016 virtual machine

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Current environment

## Windows Server 2016 virtual machine

This virtual machine (VM) runs BizTalk Server 2016. The VM runs the following workflows:

- Ocean Transport C This workflow gathers and validates container information including container contents and arrival notices at various shipping ports.
- Inland Transport C This workflow gathers and validates trucking information including fuel usage, number of stops, and routes.

The VM supports the following REST API calls:

- Container API C This API provides container information including weight, contents, and other attributes.
- Location API C This API provides location information regarding shipping ports of call and trucking stops.
- Shipping REST API C This API provides shipping information for use and display on the shipping website.

## Shipping Data

The application uses MongoDB JSON document storage database for all container and transport information.

## Shipping Web Site

The site displays shipping container tracking information and container contents. The site is located at <http://shipping.wideworldimporters.com/>

## Proposed solution

The on-premises shipping application must be moved to Azure. The VM has been migrated to a new Standard\_D16s\_v3 Azure VM by using Azure Site Recovery and must remain running in Azure to complete the BizTalk component migrations. You create a Standard\_D16s\_v3 Azure VM to host BizTalk Server.

The Azure architecture diagram for the proposed solution is shown below:



## Requirements

### Shipping Logic app

The Shipping Logic app must meet the following requirements:

- Support the ocean transport and inland transport workflows by using a Logic App.
- Support industry-standard protocol X12 message format for various messages including vessel content details and arrival notices.
- Secure resources to the corporate VNet and use dedicated storage resources with a fixed costing model.
- Maintain on-premises connectivity to support legacy applications and final BizTalk migrations.

### Shipping Function app

Implement secure function endpoints by using app-level security and include Azure Active Directory (Azure AD).

### REST APIs

The REST API's that support the solution must meet the following requirements:

- Secure resources to the corporate VNet.
- Allow deployment to a testing location within Azure while not incurring additional costs.
- Automatically scale to double capacity during peak shipping times while not causing application downtime.
- Minimize costs when selecting an Azure payment model.

### Shipping data

Data migration from on-premises to Azure must minimize costs and downtime.

### Shipping website

Use Azure Content Delivery Network (CDN) and ensure maximum performance for dynamic content while minimizing latency and costs.

### Issues

#### Windows Server 2016 VM

The VM shows high network latency, jitter, and high CPU utilization. The VM is critical and has not been backed up in the past. The VM must enable a quick restore from a 7-day snapshot to include in-place restore of disks in case of failure.

#### Shipping website and REST APIs

The following error message displays while you are testing the website:

Failed to load <http://test-shippingapi.wideworldimporters.com/>: No 'Access-Control-Allow-Origin' header is present on the requested resource. Origin 'http://test.wideworldimporters.com/' is therefore not allowed access.

### DRAG DROP

You need to support the message processing for the ocean transport workflow.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions



to the answer area and arrange them in the correct order.

Actions

Answer Area

- Link the Logic App to the integration account.
- Add partners, schemas, certificates, maps, and agreements.
- Update the Logic App to use the partners, schemas, certificates, maps, and agreements.
- Create a custom connector for the Logic App.
- Link the custom connector to the Logic App.
- Create an integration account in the Azure portal.

Answer:

Actions

- Link the Logic App to the integration account.
- Add partners, schemas, certificates, maps, and agreements.
- Update the Logic App to use the partners, schemas, certificates, maps, and agreements.
- Create a custom connector for the Logic App.
- Link the custom connector to the Logic App.
- Create an integration account in the Azure portal.

Answer Area

- Create an integration account in the Azure portal.
- Link the custom connector to the Logic App.
- Add partners, schemas, certificates, maps, and agreements.
- Create a custom connector for the Logic App.

Explanation:

Step 1: Create an integration account in the Azure portal

You can define custom metadata for artifacts in integration accounts and get that metadata during runtime for your logic app to use. For example, you can provide metadata for artifacts, such as partners, agreements, schemas, and maps – all store metadata using key-value pairs.

Step 2: Link the Logic App to the integration account

A logic app that's linked to the integration account and artifact metadata you want to use.

Step 3: Add partners, schemas, certificates, maps, and agreements

Step 4: Create a custom connector for the Logic App.

References: <https://docs.microsoft.com/bs-latn-ba/azure/logic-apps/logic-apps-enterprise-integration-metadata>

Question: 82

HOTSPOT

You are developing an application that uses a premium block blob storage account. You are optimizing costs by automating Azure Blob Storage access tiers.

You apply the following policy rules to the storage account.

You must determine the implications of applying the rules to the data. (Line numbers are included for reference only.)

```
01 {  
02   "rules":  
03     {  
04       "name": "agingDataRule",  
05       "enabled": true,  
06       "type": "Lifecycle",
```

Answer Area

	Yes	No
Block blobs prefixed with container1/salesorders or container2/inventory which have not been modified in over 60 days are moved to cool storage. Blobs that have not been modified in 120 days are moved to the archive tier.	<input type="radio"/>	<input type="radio"/>
Blobs are moved to cool storage if they have not been accessed for 30 days.	<input type="radio"/>	<input type="radio"/>
Blobs will automatically be tiered from cool back to hot if accessed again after being tiered to cool.	<input type="radio"/>	<input type="radio"/>
All block blobs older than 730 days will be deleted.	<input type="radio"/>	<input type="radio"/>

Answer:



## Answer Area

	Yes	No
Block blobs prefixed with container1/salesorders or container2/inventory which have not been modified in over 60 days are moved to cool storage. Blobs that have not been modified in 120 days are moved to the archive tier.	<input checked="" type="radio"/>	<input type="radio"/>
Blobs are moved to cool storage if they have not been accessed for 30 days.	<input type="radio"/>	<input checked="" type="radio"/>
Blobs will automatically be tiered from cool back to hot if accessed again after being tiered to cool.	<input checked="" type="radio"/>	<input type="radio"/>
All block blobs older than 730 days will be deleted.	<input checked="" type="radio"/>	<input type="radio"/>

Explanation:

### Question: 83

You need to resolve the log capacity issue.

What should you do?

- A. Create an Application Insights Telemetry Filter
- B. Change the minimum log level in the host.json file for the function
- C. Implement Application Insights Sampling
- D. Set a LogCategoryFilter during startup

### Answer: C

Explanation:

Scenario, the log capacity issue: Developers report that the number of log message in the trace output for the processor is too high, resulting in lost log messages.

Sampling is a feature in Azure Application Insights. It is the recommended way to reduce telemetry traffic and storage, while preserving a statistically correct analysis of application data. The filter selects items that are related, so that you can navigate between items when you are doing diagnostic investigations. When metric counts are presented to you in the portal, they are renormalized to take account of the sampling, to minimize any effect on the statistics.

Sampling reduces traffic and data costs, and helps you avoid throttling.

Reference: <https://docs.microsoft.com/en-us/azure/azure-monitor/app/sampling>

### Question: 84

#### HOTSPOT

You need to configure the Account Kind, Replication, and Storage tier options for the corporate website's Azure Storage account.

How should you complete the configuration? To answer, select the appropriate options in the dialog box in the answer area. NOTE: Each correct selection is worth one point.

# Create storage account

Basics   **Advanced**   Tags   Review + create

Azure Storage is a Microsoft-managed service providing cloud storage that is highly available, secure, durable, scalable, and redundant. Azure Storage includes Azure Blobs (objects), Azure Data Lake Storage Gen2, Azure Files, Azure Queues, and Azure Tables. The cost of your storage account depends on the usage and the options you choose below. [Learn more](#)

## PROJECT DETAILS

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

\* Subscription

Visual Studio Enterprise

\* Resource group

(New) cplcorporatesite

Create new

## INSTANCE DETAILS

The default deployment model is Resource Manager, which supports the latest Azure features. You may choose to deploy using the classic deployment model instead. [Choose classic deployment model](#)

\* Storage account name ⓘ

corporatewebsitecontent

\* Location

(US) East US

Performance ⓘ

☒ Standard   ☐ Premium

Account kind ⓘ

StorageV2 (general purpose v2)

Storage (general purpose v1)

BlobStorage

Replication ⓘ

Locally-redundant storage (LRS)

Zone-redundant storage (ZRS)

Geo-redundant storage (GRS)

Read-access geo-redundant storage (RA-GRS)

Geo-zone-redundant storage (GZRS)

Read-access geo-zone-redundant storage (RA-GZRS)

Access tier (default) ⓘ

☐ Cool   ☐ Hot

Answer:

# Create storage account

Basics   **Advanced**   Tags   Review + create

Azure Storage is a Microsoft-managed service providing cloud storage that is highly available, secure, durable, scalable, and redundant. Azure Storage includes Azure Blobs (objects), Azure Data Lake Storage Gen2, Azure Files, Azure Queues, and Azure Tables. The cost of your storage account depends on the usage and the options you choose below. [Learn more](#)

## PROJECT DETAILS

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

\* Subscription

Visual Studio Enterprise

\* Resource group

(New) cplcorporatesite

Create new

## INSTANCE DETAILS

The default deployment model is Resource Manager, which supports the latest Azure features. You may choose to deploy using the classic deployment model instead. [Choose classic deployment model](#)

\* Storage account name ⓘ

corporatewebsitecontent

\* Location

(US) East US

Performance ⓘ

☒ Standard   ☐ Premium

Account kind ⓘ

StorageV2 (general purpose v2) |

Storage (general purpose v1)

BlobStorage

Replication ⓘ

Locally-redundant storage (LRS)

Zone-redundant storage (ZRS)

Geo-redundant storage (GRS)

Read-access geo-redundant storage (RA-GRS)

Geo-zone-redundant storage (GZRS)

Read-access geo-zone-redundant storage (RA-GZRS)

Access tier (default) ⓘ

☒ Cool

☐ Hot

Explanation:

Account Kind: StorageV2 (general-purpose v2)

Scenario: Azure Storage blob will be used (refer to the exhibit). Data storage costs must be minimized.

General-purpose v2 accounts: Basic storage account type for blobs, files, queues, and tables. Recommended for most scenarios using Azure Storage.



# SAMPLE QUESTIONS

*These questions are for demo purpose only. **Full version** is up to date and contains actual questions and answers.*

*Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:*

**Actual Exam Questions:** *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

**Exam Dumps:** *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

**Practice Tests:** *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

**Guaranteed Success:** *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

**Updated Content:** *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

**Technical Support:** *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>  
Kill your exam at First Attempt....Guaranteed!